

1 Lynda J. Zadra-Symes (SBN 156,511)
Lynda.Zadra-Symes@kmob.com
2 Jeffrey L. Van Hoosear (SBN 147,751)
Jeffrey.VanHoosear@kmob.com
3 David G. Jankowski (SBN 205,634)
David.iankowski@kmob.com
4 KNOBBE, MARTENS, OLSON & BEAR, LLP
2040 Main Street
5 Fourteenth Floor
Irvine, CA 92614
6 Phone: (949) 760-0404
Facsimile: (949) 760-9502

7 Attorneys for Defendant/Counter-Plaintiff,
8 KEATING DENTAL ARTS, INC.

9
10 IN THE UNITED STATES DISTRICT COURT
11 FOR THE CENTRAL DISTRICT OF CALIFORNIA
12 SOUTHERN DIVISION

13 JAMES R. GLIDEWELL DENTAL
14 CERAMICS, INC. dba GLIDEWELL
LABORATORIES,

15 Plaintiff,

16 v.

17 KEATING DENTAL ARTS, INC.

18 Defendant.

19 AND RELATED COUNTERCLAIMS.
20
21

Civil Action No.
SACV11-01309-DOC(ANx)

DECLARATION OF NATHAN
B. WENK IN SUPPORT OF
KEATING DENTAL ARTS,
INC.'S REPLY TO THE
MOTIONS FOR SUMMARY
JUDGMENT

Date: December 17, 2012
Time: 8:30 a.m.
Location: Courtroom 9D

Honorable David O. Carter

1 I, Nathan B. Wenk, hereby declare as follows:

2 I am an associate at Knobbe Martens Olson and Bear who represents Keating
3 Dental Arts, Inc. ("Keating") in this matter. I have been working on this matter
4 and have personal knowledge of the matters set forth herein. If called upon to
5 testify, I could and would testify as follows:

6 1. On October 10 and October 12, 2012, I personally performed various
7 Internet searches to find publicly available information relevant to the present
8 lawsuit. Upon finding a webpage with relevant information, I personally
9 printed the webpage. The printed webpages from my searches were then made
10 available to Dr. Eggleston to assist him in his review of relevant publicly
11 available information for the purpose of drafting his reports. True and correct
12 copies of the web page printouts I made were attached to Dr. Eggleston's
13 declaration dated November 19, 2012. (Doc. #93.)

14 2. The documents I personally printed from the Internet include:

- 15 • On October 12, 2012, I personally viewed the webpage found at
16 <http://www.dentalproductshopper.com/zir-cast-bruxzir> and printed a copy
17 of that webpage. **Exhibit 97** is a true and correct copy of the printout of
18 this website on that date. This copy has not been altered except that
19 production numbers KDA-004802 through KDA-004803 were added to
20 this document during the course of this litigation for identification
21 purposes.
- 22 • On October 12, 2012, I personally viewed the webpage found at
23 [http://www.dentalaegis.com/id/2011/04/zir-max-burbank-dental-](http://www.dentalaegis.com/id/2011/04/zir-max-burbank-dental-laboratory-inc)
24 [laboratory-inc](http://www.dentalaegis.com/id/2011/04/zir-max-burbank-dental-laboratory-inc) and printed a copy of that webpage. **Exhibit 99** is a true
25 and correct copy of the printout of this website on that date. This copy
26 has not been altered except that production numbers KDA-002893
27 through KDA-002895 were added to this document during the course of
28 this litigation for identification purposes.

- 1 • On October 12, 2012, I personally viewed the webpage found at
2 [http://kastlemillscorp.blogspot.com/2011/01/3d-full-contour-zircrown-](http://kastlemillscorp.blogspot.com/2011/01/3d-full-contour-zircrown-now-available.html)
3 [now-available.html](http://kastlemillscorp.blogspot.com/2011/01/3d-full-contour-zircrown-now-available.html) and printed a copy of that webpage. **Exhibit 100** is a
4 true and correct copy of the printout of this website on that date. This
5 copy has not been altered except that production numbers KDA-003128
6 through KDA-003131 were added to this document during the course of
7 this litigation for identification purposes.
- 8 • On October 12, 2012, I personally viewed the webpage found at
9 <http://www.diademprecision.com/products-diazir.php> and printed a copy
10 of that webpage. **Exhibit 101** is a true and correct copy of the printout of
11 this website on that date. This copy has not been altered except that
12 production numbers KDA-002952 through KDA-002967 were added to
13 this document during the course of this litigation for identification
14 purposes.
- 15 • On October 12, 2012, I personally viewed the webpage found at
16 [http://www.henryschein.com/us-en/images/zahn/12-1020NY-](http://www.henryschein.com/us-en/images/zahn/12-1020NY-Zirlux_092412.pdf)
17 [Zirlux_092412.pdf](http://www.henryschein.com/us-en/images/zahn/12-1020NY-Zirlux_092412.pdf) and printed a copy of that webpage. **Exhibit 102** is a
18 true and correct copy of the printout of this website on that date. This
19 copy has not been altered except that production number KDA-003016
20 was added to this document during the course of this litigation for
21 identification purposes.
- 22 • On October 12, 2012, I personally viewed the webpage found at
23 <http://www.caldentalarts.com/all-ceramic/zirfit-solid-zirconia.html> and
24 printed a copy of that webpage. **Exhibit 103** is a true and correct copy of
25 the printout of this website on that date. This copy has not been altered
26 except that production number KDA-004808 was added to this document
27 during the course of this litigation for identification purposes.

- 1 • On October 12, 2012, I personally viewed the webpage found at
2 [http://www.somer.com/products-and-materials/attachment/ips-e-max-](http://www.somer.com/products-and-materials/attachment/ips-e-max-zircad/)
3 [zircad/](http://www.somer.com/products-and-materials/attachment/ips-e-max-zircad/) and printed a copy of that webpage. **Exhibit 104** is a true and
4 correct copy of the printout of this website on that date. This copy has
5 not been altered except that production number KDA-003242 was added
6 to this document during the course of this litigation for identification
7 purposes.
- 8 • On October 12, 2012, I personally viewed the webpage found at
9 <http://www.technicsdental.com/#!/techzir-fc/czls> and printed a copy of
10 that webpage. **Exhibit 105** is a true and correct copy of the printout of
11 this website on that date. This copy has not been altered except that
12 production number KDA-003256 was added to this document during the
13 course of this litigation for identification purposes.
- 14 • On October 12, 2012, I personally viewed the webpage found at
15 <http://www.pittmandental.com/PDFs/ScriptStand.pdf> and printed a copy
16 of that webpage. **Exhibit 106** is a true and correct copy of the printout of
17 this website on that date. This copy has not been altered except that
18 production number KDA-003212 was added to this document during the
19 course of this litigation for identification purposes.
- 20 • On October 12, 2012, I personally viewed the webpage found at
21 http://www.cdllab.com/products_ZerisBRUX.php and printed a copy of
22 that webpage. **Exhibit 109** is a true and correct copy of the printout of
23 this website on that date. This copy has not been altered except that
24 production numbers KDA-003294 through KDA-003295 were added to
25 this document during the course of this litigation for identification
26 purposes.
- 27 • On October 12, 2012, I personally viewed the webpage found at
28 http://www.gpsdental.com/crowns_products.htm#brux and printed a copy

1 of that webpage. **Exhibit 114** is a true and correct copy of the printout of
2 this website on that date. This copy has not been altered except that
3 production number KDA-003007 was added to this document during the
4 course of this litigation for identification purposes.

- 5 • On October 12, 2012, I personally viewed the webpage found at
6 <http://www.archtekinc.com/Bruxing-Splints/> and printed a copy of that
7 webpage. **Exhibit 121** is a true and correct copy of the printout of this
8 website on that date. This copy has not been altered except that
9 production number KDA-002871 was added to this document during the
10 course of this litigation for identification purposes.
- 11 • On October 12, 2012, I personally viewed the webpage found at
12 [http://www.greatlakesortho.com/commerce/detail/?nPID=1766&CFID=1](http://www.greatlakesortho.com/commerce/detail/?nPID=1766&CFID=1258115&CFTOKEN=c08b5bf286de6e69-46450335-5056-9F7B-79CE972035097DAE)
13 [258115&CFTOKEN=c08b5bf286de6e69-46450335-5056-9F7B-](http://www.greatlakesortho.com/commerce/detail/?nPID=1766&CFID=1258115&CFTOKEN=c08b5bf286de6e69-46450335-5056-9F7B-79CE972035097DAE)
14 [79CE972035097DAE](http://www.greatlakesortho.com/commerce/detail/?nPID=1766&CFID=1258115&CFTOKEN=c08b5bf286de6e69-46450335-5056-9F7B-79CE972035097DAE) and printed a copy of that webpage. **Exhibit 122** is
15 a true and correct copy of the printout of this website on that date. This
16 copy has not been altered except that production number KDA-002891
17 was added to this document during the course of this litigation for
18 identification purposes.
- 19 • On October 12, 2012, I personally viewed the webpage found at
20 <http://www.dental-mart.com/drbrnish.html> and printed a copy of that
21 webpage. **Exhibit 123** is a true and correct copy of the printout of this
22 website on that date. This copy has not been altered except that
23 production numbers KDA-004833 through KDA-004836 were added to
24 this document during the course of this litigation for identification
25 purposes.
- 26 • On October 12, 2012, I personally viewed the webpage found at
27 [http://www.dentalservices.net/products/occlusal-therapy/brux-ezer-a-rem-](http://www.dentalservices.net/products/occlusal-therapy/brux-ezer-a-rem-e-dezer-bruxism-splints.html)
28 [e-dezer-bruxism-splints.html](http://www.dentalservices.net/products/occlusal-therapy/brux-ezer-a-rem-e-dezer-bruxism-splints.html) and printed a copy of that webpage.

1 **Exhibit 124** is a true and correct copy of the printout of this website on
2 that date. This copy has not been altered except that production numbers
3 KDA-004849 through KDA-004850 were added to this document during
4 the course of this litigation for identification purposes.

- 5 • On October 12, 2012, I personally viewed the webpage found at
6 http://devlin-design.com/projects_bruxcare.htm and printed a copy of that
7 webpage. **Exhibit 125** is a true and correct copy of the printout of this
8 website on that date. This copy has not been altered except that
9 production number KDA-004798 was added to this document during the
10 course of this litigation for identification purposes.

- 11 • On October 12, 2012, I personally viewed the webpage found at
12 http://www.shererdentallab.com/products/bruxguard_testimonials.asp and
13 printed a copy of that webpage. **Exhibit 126** is a true and correct copy of
14 the printout of this website on that date. This copy has not been altered
15 except that production numbers KDA-004800 through KDA-004801 were
16 added to this document during the course of this litigation for
17 identification purposes.

- 18 • On October 12, 2012, I personally viewed the webpage found at
19 [http://www.axisdental.com/getdoc/3ba048f1-23dd-4143-b545-](http://www.axisdental.com/getdoc/3ba048f1-23dd-4143-b545-f70691363374/Zirconia-Polisher.aspx)
20 [f70691363374/Zirconia-Polisher.aspx](http://www.axisdental.com/getdoc/3ba048f1-23dd-4143-b545-f70691363374/Zirconia-Polisher.aspx) and printed a copy of that
21 webpage. **Exhibit 127** is a true and correct copy of the printout of this
22 website on that date. This copy has not been altered except that
23 production numbers KDA-004787 through KDA-004788 were added to
24 this document during the course of this litigation for identification
25 purposes.

- 26 • On October 12, 2012, I personally viewed the webpage found at
27 <http://www.cadveneers.com/ssl/zirblock.php> and printed a copy of that
28 webpage. **Exhibit 128** is a true and correct copy of the printout of this

1 website on that date. This copy has not been altered except that
2 production number KDA-004809 was added to this document during the
3 course of this litigation for identification purposes.

- 4 • On October 12, 2012, I personally viewed the webpage found at
5 [http://www.ivoclarvivadent.com/en/products/all-ceramics/ips-emax-](http://www.ivoclarvivadent.com/en/products/all-ceramics/ips-emax-technicians/ips-emax-zircad)
6 [technicians/ips-emax-zircad](http://www.ivoclarvivadent.com/en/products/all-ceramics/ips-emax-technicians/ips-emax-zircad) and printed a copy of that webpage. **Exhibit**
7 **129** is a true and correct copy of the printout of this website on that date.
8 This copy has not been altered except that production number KDA-
9 003038 was added to this document during the course of this litigation for
10 identification purposes.
- 11 • On October 12, 2012, I personally viewed the webpage found at
12 [http://www.ivoclarvivadent.com/en/products/all-ceramics/ips-emax-](http://www.ivoclarvivadent.com/en/products/all-ceramics/ips-emax-technicians/ips-emax-zirpress)
13 [technicians/ips-emax-zirpress](http://www.ivoclarvivadent.com/en/products/all-ceramics/ips-emax-technicians/ips-emax-zirpress) and printed a copy of that webpage.
14 **Exhibit 130** is a true and correct copy of the printout of this website on
15 that date. This copy has not been altered except that production number
16 KDA-003127 was added to this document during the course of this
17 litigation for identification purposes.
- 18 • On October 12, 2012, I personally viewed the webpage found at
19 [https://us.shop.ivoclarvivadent.com/en-us/p/shop/products/all-](https://us.shop.ivoclarvivadent.com/en-us/p/shop/products/all-ceramics/ips-e_max/ips-e_max-ceram/ceram-kits/ips-e_max-ceram-zirliner-kit)
20 [ceramics/ips-e_max/ips-e_max-ceram/ceram-kits/ips-e_max-ceram-](https://us.shop.ivoclarvivadent.com/en-us/p/shop/products/all-ceramics/ips-e_max/ips-e_max-ceram/ceram-kits/ips-e_max-ceram-zirliner-kit)
21 [zirliner-kit](https://us.shop.ivoclarvivadent.com/en-us/p/shop/products/all-ceramics/ips-e_max/ips-e_max-ceram/ceram-kits/ips-e_max-ceram-zirliner-kit) and printed a copy of that webpage. **Exhibit 131** is a true and
22 correct copy of the printout of this website on that date. This copy has
23 not been altered except that production number KDA-003045 was added
24 to this document during the course of this litigation for identification
25 purposes.
- 26 • On October 12, 2012, I personally viewed the webpage found at
27 <http://www.kuraraynoritake.com/wd/cad-cam/zirprime/> and printed a
28 copy of that webpage. **Exhibit 132** is a true and correct copy of the

1 printout of this website on that date. This copy has not been altered
2 except that production numbers KDA-003179 through KDA-003180 were
3 added to this document during the course of this litigation for
4 identification purposes.

- 5 • On October 12, 2012, I personally viewed the webpage found at
6 <http://www.smileline.ch/en/products/zircare> and printed a copy of that
7 webpage. **Exhibit 133** is a true and correct copy of the printout of this
8 website on that date. This copy has not been altered except that
9 production number KDA-003241 was added to this document during the
10 course of this litigation for identification purposes.
- 11 • On October 12, 2012, I personally viewed the webpage found at
12 http://biomet3i.com/Pdf/ART741D_Zireal_Brochure.pdf and printed a
13 copy of that webpage. **Exhibit 134** is a true and correct copy of the
14 printout of this website on that date. This copy has not been altered
15 except that production numbers KDA-003300 through KDA-003303 were
16 added to this document during the course of this litigation for
17 identification purposes.
- 18 • On October 12, 2012, I personally viewed the webpage found at
19 <http://www.origincadcam.com/drtanaka.html> and printed a copy of that
20 webpage. **Exhibit 135** is a true and correct copy of the printout of this
21 website on that date. This copy has not been altered except that
22 production numbers KDA-003253 through KDA-003255 were added to
23 this document during the course of this litigation for identification
24 purposes.

25 3. **Exhibit 136** is an assemblage of copies of webpage printouts of various
26 dental laboratories which I found identified on www.bruxzir.com as
27 “authorized” BruxZir laboratories. On October 10, 2012, I personally accessed
28 and viewed the following webpages at the addresses indicated below and printed

1 a copy of the listed webpages. The documents included in Exhibit 136 are true
2 and correct copies of the printouts of these websites. The documents have not
3 been altered except that the referenced production numbers were added during
4 the course of this litigation for identification purposes. The webpages I
5 accessed and printed include:

- 6 • <http://www.accutechdentallab.com/#!/products/vstc3=about01> (KDA-
7 002862)
- 8 • http://www.affdental.com/affdental2_002.htm (KDA-002863)
- 9 • <http://www.albensilab.com/services/all-ceramics/bruxzir.html> (KDA-
10 002865)
- 11 • <http://www.archtekinc.com/Bruxing-Splints/> (KDA-002871)
- 12 • <http://www.aronovitch.net/BruxZir.html> (KDA-002873-74)
- 13 • <http://www.atlasdentallab.com/?p=ceramic&item=bruxzir> (KDA-002881)
- 14 • <http://www.bauerdental.com/BruxZir.html> (KDA-002883-84)
- 15 • <http://www.beverlyhillsdentalstudio.com/bruxzir.html> (KDA-002890)
- 16 • [http://www.dentalaegis.com/id/2011/04/zir-max-burbank-dental-
17 laboratory-inc](http://www.dentalaegis.com/id/2011/04/zir-max-burbank-dental-laboratory-inc) (KDA-002893-95)
- 18 • [http://www.continentaldental.com/products/cadcam-a-non-
19 metallics/bruxzir](http://www.continentaldental.com/products/cadcam-a-non-metallics/bruxzir) (KDA-002914)
- 20 • <http://www.continentallab.com/> KDA-002918
- 21 • <http://creodental.com/products/zirconia/> (KDA-002922-23)
- 22 • <http://www.crowndentalstudio.com/BruxZir.html> (KDA-002925-26)
- 23 • <http://www.dhbaker.com/BruxZir.html> (KDA-002928-29)
- 24 • <http://www.deluxdental.com/products/bruxzir/> (KDA-002930)
- 25 • <http://www.dentalartlab.com/docs/newsletters/newsletter-fall2012.pdf>
26 (KDA-002931-32)
- 27 • [http://www.dentalartlab.com/docs/newsletters/dal-spring2011-
28 newsletter.pdf](http://www.dentalartlab.com/docs/newsletters/dal-spring2011-newsletter.pdf) (KDA-002933-34)

- 1 • [http://www.dentalartlab.com/docs/newsletters/summer-newsletter-](http://www.dentalartlab.com/docs/newsletters/summer-newsletter-2012.pdf)
2 2012.pdf (KDA-002935-36)
- 3 • [http://www.dentalartlab.com/docs/newsletters/newsletter-](http://www.dentalartlab.com/docs/newsletters/newsletter-winter2012reduced.pdf)
4 winter2012reduced.pdf (KDA-002937-38)
- 5 • <http://www.dentalartslab.com/products-services> (KDA-002942)
- 6 • <http://www.doddlab.com/BruxZir.html> (KDA-002977-79)
- 7 • <http://www.drakelab.com/products/documents/sszircastsm.pdf> (KDA-
8 002980-81)
- 9 • <http://drakelab.com/products/documents/ssbruxzirsm.pdf> (KDA-002983)
- 10 • <http://www.eclipsedentalinc.com/> (KDA-002986-87)
- 11 • [http://www.elegantlab.com/index.php?option=com_content&view=article](http://www.elegantlab.com/index.php?option=com_content&view=article&id=60&Itemid=108)
12 &id=60&Itemid=108 (KDA-002988)
- 13 • <http://www.eliasonlab.com/BruxZir.html> (KDA-002991-92)
- 14 • <http://www.excelberger.com/BruxZir.html> (KDA-002994-95)
- 15 • <http://www.fluddentallab.com/BruxZir.html> (KDA-002997-98)
- 16 • <http://www.foxdentallab.com/BruxZir.html> (KDA-003000)
- 17 • [link doesn't seem to be working correctly] (KDA-003003)
- 18 • <http://www.gnatho.com/bruxzir.php> (KDA-003006)
- 19 • <http://www.gswdental.com/BruxZir.html> (KDA-003009-10)
- 20 • <http://www.h-odental.com/BruxZir.html> (KDA-003012-13)
- 21 • <http://www.harrisondentalstudio.com/services/20> (KDA-003015)
- 22 • [http://www.henryschein.com/us-en/images/zahn/12-1020NY-](http://www.henryschein.com/us-en/images/zahn/12-1020NY-Zirlux_092412.pdf)
23 Zirlux_092412.pdf (KDA-003016)
- 24 • <http://www.henryschein.com/us-en/zahn/services/zirlux.aspx> (KDA-
25 003019-20)
- 26 • <http://www.ideal dental.com/BruxZir.html> (KDA-003022-23)
- 27 • <http://www.innovativedentalarts.com/services/all-ceramic/bruxzir.html>
28 (KDA-003027)

- 1 • <http://www.itoandkoby.com/BruxZir.html> (KDA-003029-30)
- 2 • <http://www.kellerlab.com/193/products/bruxzir.php> (KDA-003133-34)
- 3 • <http://www.kiesskraft.com/BruxZir.html> (KDA-003135-36)
- 4 • [http://www.knightdentalgroup.com/subpage_product_Studio.php?Product](http://www.knightdentalgroup.com/subpage_product_Studio.php?ProductID=12)
5 ID=12 (KDA-003138-39)
- 6 • [http://www.lasvegasdentalstudio.com/index.php?option=com_content&vi](http://www.lasvegasdentalstudio.com/index.php?option=com_content&view=article&id=19&Itemid=13)
7 ew=article&id=19&Itemid=13 (KDA-003142)
- 8 • <http://www.lvddslab.com/bruxzir.aspx> (KDA-003145)
- 9 • <http://www.lumident.net/products.php> (KDA-003148)
- 10 • <http://www.mallowtru.com/BruxZir.html> (KDA-003150-51)
- 11 • <http://www.allceramicexperts.com/#!/products/cjg9> (KDA-003154)
- 12 • <http://www.midtowndental.com/BruxZir.html> (KDA-003156-57)
- 13 • <http://www.mobiledentaldesign.com/bruxzir-design-inc-biography.htm>
14 (KDA-003159-60)
- 15 • <http://mobiletekdenal.myshopify.com/pages/bruxzir-features> (KDA-
16 003161-62)
- 17 • <http://www.mrcrown.com/bruxzir.html> (KDA-003164-65)
- 18 • [http://www.nashdentallab.com/services/crown-bridge/metal-free-](http://www.nashdentallab.com/services/crown-bridge/metal-free-crowns/bruxzir-crowns/)
19 crowns/bruxzir-crowns/ (KDA-003166)
- 20 • <http://www.neodentallab.com/dentists.html> (KDA-003169-70)
- 21 • <http://www.newerada.com/dental-lab-products.html> (KDA-003172)
- 22 • <http://www.newimagedentallab.com/bruxzir.php> (KDA-003173)
- 23 • <http://www.newwestlab.com/services/bruxzir.aspx> (KDA-003174)
- 24 • <http://www.nicholsdentallab.com/products.html> (KDA-003178)
- 25 • <http://www.olsondenlab.com/5DayBruxZir.aspx> (KDA-003182)
- 26 • <http://www.oralartsdental.com/pages/Products/BruxZirZirconiaOcclLing>
27 withPorcelainLabial/tabid/3550/Default.aspx (KDA-003183-84)
- 28

- 1 • [http://www.oralartsdental.com/pages/Products/BruxzirCrownsandBridges](http://www.oralartsdental.com/pages/Products/BruxzirCrownsandBridges/tabid/1354/Default.aspx)
- 2 [/tabid/1354/Default.aspx](http://www.oralartsdental.com/pages/Products/BruxzirCrownsandBridges/tabid/1354/Default.aspx) (KDA-003186-87)
- 3 • <http://www.oralartslab.com/BruxZir.html> (KDA-003189-90)
- 4 • <http://www.oraldesigns.com/products/bruxzir.html> (KDA-003192)
- 5 • <http://www.oraltech.com/BruxZir.html> (KDA-003194-95)
- 6 • <http://www.pda-lab.com/index.cfm/All-Ceramics.cfm> (KDA-003197)
- 7 • <http://www.parkwaydentallab.net/bruxzir-fcz.html> (KDA-003199-3200)
- 8 • <http://sandiegodentallab.com/?portfolio=bruxzir> (KDA-003204-05)
- 9 • <http://www.petermandental.com/BruxZir.html> (KDA-003207-08)
- 10 • <http://www.pfistererdental.com/BruxZir.html> (KDA-003210-11)
- 11 • <http://www.pcdl-usa.com/products16-74/BruxZir> (KDA-003218)
- 12 • <http://www.rdentlab.com/bruxzir/> (KDA-003221-22)
- 13 • [http://www.riversidelab.com/dental-lab-services/bruxzir-solid-zirconia-](http://www.riversidelab.com/dental-lab-services/bruxzir-solid-zirconia-crowns-bridges.aspx)
- 14 [crowns-bridges.aspx](http://www.riversidelab.com/dental-lab-services/bruxzir-solid-zirconia-crowns-bridges.aspx) (KDA-003223-24)
- 15 • <http://www.rogersfamilylab.com/products/crown-bridge/bruxzir/> (KDA-
- 16 [003227](http://www.rogersfamilylab.com/products/crown-bridge/bruxzir/))
- 17 • <http://www.saberdentalstudio.com/BruxZir.html> (KDA-003230-31)
- 18 • [https://www.safcodental.com/catalog/burs-and-diamonds/diamond-](https://www.safcodental.com/catalog/burs-and-diamonds/diamond-instruments-multi-use/nti-zir-cut-diamonds?ref=cat)
- 19 [instruments-multi-use/nti-zir-cut-diamonds?ref=cat](https://www.safcodental.com/catalog/burs-and-diamonds/diamond-instruments-multi-use/nti-zir-cut-diamonds?ref=cat) (KDA-003232)
- 20 • <http://www.salemlab.com/BruxZir.html> (KDA-003234-35)
- 21 • <http://www.scrimpshire.com/BruxZir.html> (KDA-003237)
- 22 • <http://www.shererdentallab.com/products/bruxzirfcz.asp> (KDA-003240)
- 23 • <http://www.sternempire.com/BruxZir.html> (KDA-003245-46)
- 24 • <http://www.sternreed.com/BruxZir.html> (KDA-003248-49)
- 25 • <http://www.stewartlab.com/bruxzir-solid-zirconia> (KDA-003250)
- 26 • [http://www.thayerdental.com/MetalFreeRestorations/MetalFreeCrowns.as](http://www.thayerdental.com/MetalFreeRestorations/MetalFreeCrowns.aspx)
- 27 [px](http://www.thayerdental.com/MetalFreeRestorations/MetalFreeCrowns.aspx) (KDA-003261-62)
- 28 • <http://www.thelab2000.com/services.html> (KDA-003264)

- 1 • http://www.thepointdentalstudio.com/Page_3.html (KDA-003267-68)
- 2 • <http://www.thoeledental.com/BruxZir.html> (KDA-003270-71)
- 3 • <http://www.tlclab.com/BruxZir.html> (KDA-003273-74)
- 4 • <http://www.trachseldentalstudio.com/products/CrownAndBridge/BruxZir/>
5 (KDA-003278)
- 6 • [http://www.treasuredentalstudio.com/index.php?option=com_content&vi](http://www.treasuredentalstudio.com/index.php?option=com_content&view=article&id=10&Itemid=17)
7 [ew=article&id=10&Itemid=17](http://www.treasuredentalstudio.com/index.php?option=com_content&view=article&id=10&Itemid=17) (KDA-003281)
- 8 • <http://www.viadental.com/#!/services/c1pna> (KDA-003284-85)
- 9 • <http://www.vitalitydentalarts.com/products-2/bruxzir/> (KDA-003286-87)
- 10 • <http://www.wpdentallab.com/BruxZir.html> (KDA-003291-93)
- 11 • <http://www.ziemekdentallab.com/bruxzir-solid-zirconia/> (KDA-003297)
- 12 • <http://www.home.zinserdental.com/> (KDA-003298-99)
- 13 • <http://www.accudentdentallab.com/index.php?p=products> (KDA-004775)
- 14 • <http://www.apexdentalmilling.com/> (KDA-004776-77)
- 15 • http://www.applegatedentalceramics.com/zirconia_crowns.html (KDA-
16 004778)
- 17 • <http://www.arcaridentallab.com/products/all-ceramic/bruxzir.html> (KDA-
18 004779-80)
- 19 • <http://www.artisticdentallab.net/coupons.shtml> (KDA-004781-82)
- 20 • <http://www.artisticdentallab.net/bruxzir.shtml> (KDA-004783-86)
- 21 • [http://www.axisdental.com/getdoc/3ba048f1-23dd-4143-b545-](http://www.axisdental.com/getdoc/3ba048f1-23dd-4143-b545-f70691363374/Zirconia-Polisher.aspx)
22 [f70691363374/Zirconia-Polisher.aspx](http://www.axisdental.com/getdoc/3ba048f1-23dd-4143-b545-f70691363374/Zirconia-Polisher.aspx) (KDA-004787-88)
- 23 • [http://www.axisdental.com/getdoc/c17d35f7-bd0f-4524-9218-](http://www.axisdental.com/getdoc/c17d35f7-bd0f-4524-9218-38ea629acc0b/Polishing.aspx?SKUId=6537)
24 [38ea629acc0b/Polishing.aspx?SKUId=6537](http://www.axisdental.com/getdoc/c17d35f7-bd0f-4524-9218-38ea629acc0b/Polishing.aspx?SKUId=6537) (KDA-004789-90)
- 25 • [http://www.axisdental.com/getdoc/c17d35f7-bd0f-4524-9218-](http://www.axisdental.com/getdoc/c17d35f7-bd0f-4524-9218-38ea629acc0b/Polishing.aspx?SKUId=2241)
26 [38ea629acc0b/Polishing.aspx?SKUId=2241](http://www.axisdental.com/getdoc/c17d35f7-bd0f-4524-9218-38ea629acc0b/Polishing.aspx?SKUId=2241) (KDA-004791-92)
- 27 • <http://www.bdlprosthetics.com/dentists/bruxzir.aspx> (KDA-004793)
- 28 • <http://www.beckerdentallab.com/Pages/BruxZir.aspx> (KDA-004794-95)

- 1 • <http://www.biglerdental.com/services/bruxzir> (KDA-004796-97)
- 2 • http://www.shererdentallab.com/products/bruxguard_testimonials.asp
- 3 (KDA-004800-01)
- 4 • <http://www.burdettedental.com/Default.asp?ID=326&pg=Fixed+Products>
- 5 (KDA-004804-07)
- 6 • <http://www.caldentalarts.com/all-ceramic/zirfit-solid-zirconia.html>
- 7 (KDA-004808)
- 8 • Cannot find exact web page, similar at
- 9 http://www.cdllab.com/products_CADVeneers.php (KDA-004809)
- 10 • http://www.dentalartlab.com/page.php?page_id=47 (KDA-004810-KDA-
- 11 004811)

12 4. **Exhibit 137** is an assemblage of copies of dental prescription forms
 13 available on the Internet webpage of various dental laboratories identified on
 14 www.bruxzir.com as “authorized” BruxZir laboratories. On October 10, 2012, I
 15 personally accessed and viewed the following webpages at the web addresses
 16 listed below and printed a copy of those webpages. Exhibit 136 includes true
 17 and correct copies of the printouts of these dental prescription forms. The
 18 documents have not been altered except that production numbers were added
 19 during the course of this litigation for identification purposes. The webpages I
 20 accessed and printed include:

- 21 • <http://www.albensilab.com/images/stories/documents/231796.pdf> (KDA-
- 22 002864)
- 23 • <http://www.apexdentalmilling.com/pdf/ApexDentalMillingScript.pdf>
- 24 (KDA-002867)
- 25 • http://www.applegatedentalceramics.com/applegate_dental_RX.pdf
- 26 (KDA-002868)
- 27 • [http://www.arcarilab.com/images/stories/documents/Arcari-NEWRX-](http://www.arcarilab.com/images/stories/documents/Arcari-NEWRX-BW.pdf)
- 28 [BW.pdf](http://www.arcarilab.com/images/stories/documents/Arcari-NEWRX-BW.pdf) (KDA-002869-70)

- 1 • [http://www.aronovitch.net/uploadedFiles/Aronovitch_Dental_Laboratory/](http://www.aronovitch.net/uploadedFiles/Aronovitch_Dental_Laboratory/Content/Send_A_Case/Aronovitch.pdf)
2 [Content/Send_A_Case/Aronovitch.pdf](http://www.aronovitch.net/uploadedFiles/Aronovitch_Dental_Laboratory/Content/Send_A_Case/Aronovitch.pdf) (KDA-002872)
- 3 • <http://www.arrowheaddental.com/wp-content/uploads/2011/03/rx.pdf>
4 (KDA-002875-76)
- 5 • [http://www.artisticdentallab.net/Downloads/Prescription%20for%20Webs](http://www.artisticdentallab.net/Downloads/Prescription%20for%20Website.indd.pdf)
6 [ite.indd.pdf](http://www.artisticdentallab.net/Downloads/Prescription%20for%20Website.indd.pdf) (KDA-002877-78)
- 7 • [http://www.atlasdentallab.com/scripts/dl.php?f=Atlas_Crown%20Bridge](http://www.atlasdentallab.com/scripts/dl.php?f=Atlas_Crown%20Bridge%20RX.pdf)
8 [%20RX.pdf](http://www.atlasdentallab.com/scripts/dl.php?f=Atlas_Crown%20Bridge%20RX.pdf) (KDA-002880)
- 9 • [http://www.bauerdental.com/uploadedFiles/Bauer_Dental_Studio/Content](http://www.bauerdental.com/uploadedFiles/Bauer_Dental_Studio/Content/Send_A_Case/Bauer%20Rx%20Form.pdf)
10 [/Send_A_Case/Bauer%20Rx%20Form.pdf](http://www.bauerdental.com/uploadedFiles/Bauer_Dental_Studio/Content/Send_A_Case/Bauer%20Rx%20Form.pdf) (KDA-002882)
- 11 • http://www.bdlprosthetics.com/pdf/bdl_rx_new.pdf (KDA-002885-86)
- 12 • [http://www.beckerdentallab.com/Documents/becker%20dental%20lab%2](http://www.beckerdentallab.com/Documents/becker%20dental%20lab%20new%20021412.pdf)
13 [0new%20021412.pdf](http://www.beckerdentallab.com/Documents/becker%20dental%20lab%20new%20021412.pdf) (KDA-002887)
- 14 • <http://www.beverlyhillsdentalstudio.com/images/pdf/bh-rx.pdf> (KDA-
15 002888-89)
- 16 • [http://www.burdettedental.com/Sites/Burdette_Dental/Documents/Main/](http://www.burdettedental.com/Sites/Burdette_Dental/Documents/Main/Rx-BDL%202012%20single%20-%20front.pdf)
17 [Rx-BDL%202012%20single%20-%20front.pdf](http://www.burdettedental.com/Sites/Burdette_Dental/Documents/Main/Rx-BDL%202012%20single%20-%20front.pdf) (KDA-002896)
- 18 • [http://www.continentaldental.com/images/stories/RX_2012_REV_PDF.p](http://www.continentaldental.com/images/stories/RX_2012_REV_PDF.pdf)
19 [df](http://www.continentaldental.com/images/stories/RX_2012_REV_PDF.pdf) (KDA-002915-16)
- 20 • [http://www.continentallab.com/uploadedFiles/Continental_Dental_Labor](http://www.continentallab.com/uploadedFiles/Continental_Dental_Laboratory/Content/Send_A_Case/Continental%20Rx.pdf)
21 [atory/Content/Send_A_Case/Continental%20Rx.pdf](http://www.continentallab.com/uploadedFiles/Continental_Dental_Laboratory/Content/Send_A_Case/Continental%20Rx.pdf) (KDA-002917)
- 22 • http://creodental.com/CreoDental_Rx_merged.pdf (KDA-002920-21)
- 23 • [http://www.crowndentalstudio.com/uploadedFiles/Crown_Dental_Studio/](http://www.crowndentalstudio.com/uploadedFiles/Crown_Dental_Studio/Content/Send_Us_A_Case/Crown%20and%20Bridge%20Rx.pdf)
24 [Content/Send_Us_A_Case/Crown%20and%20Bridge%20Rx.pdf](http://www.crowndentalstudio.com/uploadedFiles/Crown_Dental_Studio/Content/Send_Us_A_Case/Crown%20and%20Bridge%20Rx.pdf) (KDA-
25 002924)
- 26 • [http://www.dhbaker.com/uploadedFiles/D_H_Baker_Dental_Laboratory/](http://www.dhbaker.com/uploadedFiles/D_H_Baker_Dental_Laboratory/Content/Send_A_Case/DH%20Baker%20Rx.pdf)
27 [Content/Send_A_Case/DH%20Baker%20Rx.pdf](http://www.dhbaker.com/uploadedFiles/D_H_Baker_Dental_Laboratory/Content/Send_A_Case/DH%20Baker%20Rx.pdf) (KDA-002927)

28

- 1 • [http://www.dentalartslab.com/resourcesmodule/download_resource/id/12](http://www.dentalartslab.com/resourcesmodule/download_resource/id/129/src/@random486b8da9a7d14/)
2 [9/src/@random486b8da9a7d14/](http://www.dentalartslab.com/resourcesmodule/download_resource/id/129/src/@random486b8da9a7d14/) (KDA-002939-41)
- 3 • <http://www.dentallab.com/download/dlc-universal.pdf> (KDA-002946-47)
- 4 • [http://www.dentekdental.com/flash/flash-scene-downloads/OFFICIAL-](http://www.dentekdental.com/flash/flash-scene-downloads/OFFICIAL-2007-DENTEKDENTAL-LAB-FORM.pdf)
5 [2007-DENTEKDENTAL-LAB-FORM.pdf](http://www.dentekdental.com/flash/flash-scene-downloads/OFFICIAL-2007-DENTEKDENTAL-LAB-FORM.pdf) (KDA-002950)
- 6 • <http://www.digitechlab.com/downloads/DigiTech-Rx.pdf> (KDA-002974-
- 7 75)
- 8 • [http://www.doddlab.com/uploadedFiles/Dodd_Dental_Laboratory/Conten](http://www.doddlab.com/uploadedFiles/Dodd_Dental_Laboratory/Content/Send_A_Case/Dodd_Rx.pdf)
9 [t/Send_A_Case/Dodd_Rx.pdf](http://www.doddlab.com/uploadedFiles/Dodd_Dental_Laboratory/Content/Send_A_Case/Dodd_Rx.pdf) (KDA-002976)
- 10 • http://www.drakelab.com/documents/digitalscript2012_000.pdf (KDA-
- 11 002982)
- 12 • <http://www.eclipsedentalinc.com/request.html> (KDA-002984-85)
- 13 • http://www.elegantlab.com/images/stories/pdfs/rx_form.pdf (KDA-
- 14 002989)
- 15 • [http://www.eliasonlab.com/uploadedFiles/Eliason_Dental_Lab/Content/S](http://www.eliasonlab.com/uploadedFiles/Eliason_Dental_Lab/Content/Send_A_Case/Rx%20Form.pdf)
16 [end_A_Case/Rx%20Form.pdf](http://www.eliasonlab.com/uploadedFiles/Eliason_Dental_Lab/Content/Send_A_Case/Rx%20Form.pdf) (KDA-002990)
- 17 • [http://www.excelberger.com/uploadedFiles/Excel_Berger_Dental_Lab/C](http://www.excelberger.com/uploadedFiles/Excel_Berger_Dental_Lab/Content/Send_a_Case/Rx.pdf)
18 [ontent/Send_a_Case/Rx.pdf](http://www.excelberger.com/uploadedFiles/Excel_Berger_Dental_Lab/Content/Send_a_Case/Rx.pdf) (KDA-002993)
- 19 • [http://www.fluddentallab.com/uploadedFiles/Flud_Dental_Laboratory/Co](http://www.fluddentallab.com/uploadedFiles/Flud_Dental_Laboratory/Content/Send_A_Case/Rx%20form.pdf)
20 [ntent/Send_A_Case/Rx%20form.pdf](http://www.fluddentallab.com/uploadedFiles/Flud_Dental_Laboratory/Content/Send_A_Case/Rx%20form.pdf) (KDA-002996)
- 21 • [http://www.foxdentallab.com/uploadedFiles/Fox_Dental_Laboratory/Con](http://www.foxdentallab.com/uploadedFiles/Fox_Dental_Laboratory/Content/Send_A_Case/Fox%20Rx%208-11(1).pdf)
22 [tent/Send_A_Case/Fox%20Rx%208-11\(1\).pdf](http://www.foxdentallab.com/uploadedFiles/Fox_Dental_Laboratory/Content/Send_A_Case/Fox%20Rx%208-11(1).pdf) (KDA-002999)
- 23 • http://www.gandhdental.com/pdfs/Implanning_Rx-02.21.12.pdf (KDA-
- 24 003002)
- 25 • <http://www.gnatho.com/files/CB-Ceramics1.pdf> (KDA-003004-05)
- 26 • [http://www.gswdental.com/uploadedFiles/Great_Southwest_Dental_Labo](http://www.gswdental.com/uploadedFiles/Great_Southwest_Dental_Laboratory/Content/Send_A_Case/GSWprescription.pdf)
27 [ratory/Content/Send_A_Case/GSWprescription.pdf](http://www.gswdental.com/uploadedFiles/Great_Southwest_Dental_Laboratory/Content/Send_A_Case/GSWprescription.pdf) (KDA-003008)
- 28

- 1 • [http://www.greendentalab.com/uploadedFiles/Green_Dental_Laboratory/](http://www.greendentalab.com/uploadedFiles/Green_Dental_Laboratory/Content/Send_A_Case/GDL%20Rx%202010.pdf)
2 [Content/Send_A_Case/GDL%20Rx%202010.pdf](http://www.greendentalab.com/uploadedFiles/Green_Dental_Laboratory/Content/Send_A_Case/GDL%20Rx%202010.pdf) (KDA-003011)
- 3 • http://www.harrisonsdentalstudio.com/images/stories/NEW_CB_RX.pdf
4 (KDA-003014)
- 5 • [http://www.ideal dental.com/uploadedFiles/Ideal_Dental_Laboratory/Cont](http://www.ideal dental.com/uploadedFiles/Ideal_Dental_Laboratory/Content/Send_A_Case/Rx%202012.pdf)
6 [ent/Send_A_Case/Rx%202012.pdf](http://www.ideal dental.com/uploadedFiles/Ideal_Dental_Laboratory/Content/Send_A_Case/Rx%202012.pdf) (KDA-003021)
- 7 • <http://www.ikondentaldesign.com/#!dentist-support> (KDA-003024)
- 8 • [http://www.innovativedentalarts.com/images/stories/documents/ida%20rx](http://www.innovativedentalarts.com/images/stories/documents/ida%20rx.pdf)
9 [.pdf](http://www.innovativedentalarts.com/images/stories/documents/ida%20rx.pdf) (KDA-003025-26)
- 10 • [http://www.itoandkoby.com/uploadedFiles/Ito_and_Koby_Dental_Studio](http://www.itoandkoby.com/uploadedFiles/Ito_and_Koby_Dental_Studio/Content/Send_A_Case/order_Lv2.pdf)
11 [/Content/Send_A_Case/order_Lv2.pdf](http://www.itoandkoby.com/uploadedFiles/Ito_and_Koby_Dental_Studio/Content/Send_A_Case/order_Lv2.pdf) (KDA-002028)
- 12 • [http://www.iversondental-](http://www.iversondental-labs.com/Portals/10097/docs/LAB%20RX%209-8-09.pdf)
13 [labs.com/Portals/10097/docs/LAB%20RX%209-8-09.pdf](http://www.iversondental-labs.com/Portals/10097/docs/LAB%20RX%209-8-09.pdf) (KDA-003031-
- 14 32)
- 15 • [http://www.kellerlab.com/tinymce/filemanager/files/Regular_Rx_STL.pd](http://www.kellerlab.com/tinymce/filemanager/files/Regular_Rx_STL.pdf)
16 [f](http://www.kellerlab.com/tinymce/filemanager/files/Regular_Rx_STL.pdf) (KDA-003132)
- 17 • [http://www.kiesskraft.com/uploadedFiles/Kiess_Kraft/Content/Send_A_](http://www.kiesskraft.com/uploadedFiles/Kiess_Kraft/Content/Send_A_Case/RX%20PAD.pdf)
18 [Case/RX%20PAD.pdf](http://www.kiesskraft.com/uploadedFiles/Kiess_Kraft/Content/Send_A_Case/RX%20PAD.pdf) (KDA-003137)
- 19 • [http://www.lasvegasdentalstudio.com/images/pdf/Las%20Vegas%20Rx%](http://www.lasvegasdentalstudio.com/images/pdf/Las%20Vegas%20Rx%20Form.pdf)
20 [20Form.pdf](http://www.lasvegasdentalstudio.com/images/pdf/Las%20Vegas%20Rx%20Form.pdf) (KDA-003140-41)
- 21 • <http://www.lvddslab.com/pdfs/Rx-Dentists.pdf> (KDA-003143-44)
- 22 • [http://www.lordsdental.com/images/stories/pdf/rx/Lords_C&B_Rx_2011.](http://www.lordsdental.com/images/stories/pdf/rx/Lords_C&B_Rx_2011.pdf)
23 [pdf](http://www.lordsdental.com/images/stories/pdf/rx/Lords_C&B_Rx_2011.pdf) (KDA-003146)
- 24 • <http://www.lumident.net/docs/CrownandBridgelabslipPDF.pdf> (KDA-
- 25 003147)
- 26 • [http://www.mallowtru.com/uploadedFiles/Mallow_True_Dental_Studio/C](http://www.mallowtru.com/uploadedFiles/Mallow_True_Dental_Studio/Content/Send_A_Case/Mallow%20Rx.pdf)
27 [ontent/Send_A_Case/Mallow%20Rx.pdf](http://www.mallowtru.com/uploadedFiles/Mallow_True_Dental_Studio/Content/Send_A_Case/Mallow%20Rx.pdf) (KDA-003149)
- 28

- 1 • http://www.maverickdental.com/maverick_dental_lab/images/Maverick%20Combined%20RX.pdf (KDA-003152-53)
- 2
- 3 • http://www.midtowndental.com/uploadedFiles/Midtown_Dental_Laboratory/Content/Send_A_Case/Midtown%20Fixed.pdf (KDA-003155)
- 4
- 5 • <http://mobiledentaldesign.com/cs/Satellite?blobkey=id&blobwhere=1301180757437&blobheader=application%2Fpdf&blobheadernamel=Content-Disposition&blobheadervalue1=inline%3B+filename%3D2107628-mobiledentaldesign-rxpad-02-03-12.pdf&blobcol=urldocument&blobtable=UXDocument> (KDA-003158)
- 6
- 7
- 8
- 9
- 10 • http://www.mrcrowndental.com/mrcrown_labslip.pdf (KDA-003163)
- 11 • http://www.naturalartsdental.com/Prescription_Form.PDF (KDA-003167)
- 12 • <http://www.neodentallab.com/Labprescription.pdf> (KDA-003168)
- 13 • http://www.newerada.com/docs/NEDA_Fixed_Restoration_Form.pdf (KDA-003171)
- 14
- 15 • http://www.ndlsmile.com/crown_bridge.pdf (KDA-003175)
- 16 • <http://www.ndlsmile.com/implant.pdf> (KDA-003176)
- 17 • http://nextek.us/wp-content/uploads/2010/12/RXform8_10.pdf (KDA-003177)
- 18
- 19 • <http://www.olsondenlab.com/LinkClick.aspx?fileticket=C085SwbdwIw%3d&tabid=214> (KDA-003181)
- 20
- 21 • <http://www.oralartsdental.com/pages/LinkClick.aspx?fileticket=YVwGvPzLk6k%3d&tabid=1121> (KDA-003185)
- 22
- 23 • http://www.oralartslab.com/uploadedFiles/Oral_Arts_Dental_Laboratory_IA/Content/Send_A_Case/Oral%20Arts%20IA.pdf (KDA-003188)
- 24
- 25 • <http://www.oraldesigns.com/images/Oral%20Designs%20Crown%20Bridge%20Rx.pdf> (KDA-003191)
- 26
- 27 • http://www.oraltech.com/uploadedFiles/Oral_Tech_Dental_Laboratory/Content/Send_A_Case/Oral%20Tech.pdf (KDA-003193)
- 28

- 1 • <http://pda-lab.com/documents/prescriptionform-pda-c&b.pdf> (KDA-
2 003196)
- 3 • Old Rx form no longer available; new form available at
4 <http://www.parkwaydentallab.net/uploads/1/3/8/2/13825232/form1.pdf>
5 (KDA-003198)
- 6 • <http://www.pcsdentallab.com/#!/rx-forms> (KDA-003201)
- 7 • [http://sandiegodentallab.com/wp-content/uploads/2012/07/Lab-Slip-
8 NEW.pdf](http://sandiegodentallab.com/wp-content/uploads/2012/07/Lab-Slip-NEW.pdf) (KDA-003202-03)
- 9 • [http://www.petermandental.com/uploadedFiles/Peterman_Dental_Laborat
10 ory/Content/Send_A_Case/Peterman%20Rx.pdf](http://www.petermandental.com/uploadedFiles/Peterman_Dental_Laboratory/Content/Send_A_Case/Peterman%20Rx.pdf) (KDA-003206)
- 11 • [http://www.pfistererdental.com/uploadedFiles/Pfisterer_Dental_Laborator
12 y/Content/Send_A_Case/Pfisterer.pdf](http://www.pfistererdental.com/uploadedFiles/Pfisterer_Dental_Laboratory/Content/Send_A_Case/Pfisterer.pdf) (KDA-003209)
- 13 • http://www.polarisdentallab.com/rx_form.pdf (KDA-003213)
- 14 • <http://www.pcdl-usa.com/gallery2-102/ImplantFixed> (KDA-003214-15)
- 15 • <http://www.pcdl-usa.com/gallery2-103/Dentist> (KDA-003216-17)
- 16 • <http://www.prosthotech.com/files/pdfs/ProsthotechLabForm2009.pdf>
17 (KDA-003219)
- 18 • <http://www.rdentlab.com/wp-content/uploads/2012/07/Fixed-07-12-F.pdf>
19 (KDA-003220)
- 20 • <http://www.roedentallab.com/downloads/RxFixed.pdf> (KDA-003225)
- 21 • <http://www.rogersfamilylab.com/pdf/fixed-restoration-script.pdf> (KDA-
22 003226)
- 23 • [http://www.saberdental.com/uploadedFiles/Saber_Dental_Studio_MN/Co
24 ntent/Send_A_Case/Saber,%20MN%20Rx.pdf](http://www.saberdental.com/uploadedFiles/Saber_Dental_Studio_MN/Content/Send_A_Case/Saber,%20MN%20Rx.pdf) (KDA-003228)
- 25 • [http://www.saberdentalstudio.com/uploadedFiles/Saber_Dental_Studio_
26 WI/Content/Send_A_Case/SaberWI.pdf](http://www.saberdentalstudio.com/uploadedFiles/Saber_Dental_Studio_WI/Content/Send_A_Case/SaberWI.pdf) (KDA-003229)
- 27 • [http://www.salemlab.com/uploadedFiles/Salem_Dental_Laboratory/Cont
28 ent/Send_A_Case/Salem%20Rx%20Blue%202011.pdf](http://www.salemlab.com/uploadedFiles/Salem_Dental_Laboratory/Content/Send_A_Case/Salem%20Rx%20Blue%202011.pdf) (KDA-003233)

- 1 • http://www.scrimpshire.com/uploadedFiles/Scrimpshire_Dental_Studio/Content/Send_A_Case/Scrimpshire.pdf (KDA-003236)
- 2
- 3 • <http://www.shererdentallab.com/pdf/fixed.pdf> (KDA-003238-39)
- 4 • [http://www.spartandentallab.com/wp-content/uploads/2011/10/spartan-](http://www.spartandentallab.com/wp-content/uploads/2011/10/spartan-dental-lab-rx-form.pdf)
- 5 [dental-lab-rx-form.pdf](http://www.spartandentallab.com/wp-content/uploads/2011/10/spartan-dental-lab-rx-form.pdf) (KDA-003243)
- 6 • [http://www.sternempire.com/uploadedFiles/Stern_Empire_Dental_Labora-](http://www.sternempire.com/uploadedFiles/Stern_Empire_Dental_Laboratory/Content/Send_A_Case/Stern%20Form%202011.pdf)
- 7 [tory/Content/Send_A_Case/Stern%20Form%202011.pdf](http://www.sternempire.com/uploadedFiles/Stern_Empire_Dental_Laboratory/Content/Send_A_Case/Stern%20Form%202011.pdf) (KDA-003244)
- 8 • [http://www.sternreed.com/uploadedFiles/Stern_Reed_Associates/Content](http://www.sternreed.com/uploadedFiles/Stern_Reed_Associates/Content/Send_A_Case/Stern%20Reed.pdf)
- 9 [/Send_A_Case/Stern%20Reed.pdf](http://www.sternreed.com/uploadedFiles/Stern_Reed_Associates/Content/Send_A_Case/Stern%20Reed.pdf) (KDA-003247)
- 10 • [http://www.thayerdental.com/LinkClick.aspx?fileticket=Incz6bpfejc%3d](http://www.thayerdental.com/LinkClick.aspx?fileticket=Incz6bpfejc%3d&tabid=75)
- 11 [&tabid=75](http://www.thayerdental.com/LinkClick.aspx?fileticket=Incz6bpfejc%3d&tabid=75) (KDA-003257-58)
- 12 • [http://www.thayerdental.com/LinkClick.aspx?fileticket=NfgRHPXyu24](http://www.thayerdental.com/LinkClick.aspx?fileticket=NfgRHPXyu24%3d&tabid=75)
- 13 [%3d&tabid=75](http://www.thayerdental.com/LinkClick.aspx?fileticket=NfgRHPXyu24%3d&tabid=75) (KDA-003259-60)
- 14 • http://www.thelab2000.com/prescription_form.jpg (KDA-003263)
- 15 • http://www.thepointdentalstudio.com/Page_5.html (KDA-003265-66)
- 16 • [http://www.thoeledental.com/uploadedFiles/Thoele_Dental_Laboratory/C-](http://www.thoeledental.com/uploadedFiles/Thoele_Dental_Laboratory/Content/Send_A_Case/Thoele%20Crown%20and%20Bridge.pdf)
- 17 [ontent/Send_A_Case/Thoele%20Crown%20and%20Bridge.pdf](http://www.thoeledental.com/uploadedFiles/Thoele_Dental_Laboratory/Content/Send_A_Case/Thoele%20Crown%20and%20Bridge.pdf) (KDA-
- 18 [003269\)](http://www.thoeledental.com/uploadedFiles/Thoele_Dental_Laboratory/Content/Send_A_Case/Thoele%20Crown%20and%20Bridge.pdf)
- 19 • [http://www.tlclab.com/uploadedFiles/TLC_Dental_Laboratory/Content/S-](http://www.tlclab.com/uploadedFiles/TLC_Dental_Laboratory/Content/Send_A_Case/tlc%20FORM.pdf)
- 20 [end_A_Case/tlc%20FORM.pdf](http://www.tlclab.com/uploadedFiles/TLC_Dental_Laboratory/Content/Send_A_Case/tlc%20FORM.pdf) (KDA-003272)
- 21 • <http://www.trachseldentalstudio.com/resc/CrownBridgeRx2012.pdf>
- 22 [\(KDA-003275-76\)](http://www.trachseldentalstudio.com/resc/CrownBridgeRx2012.pdf)
- 23 • [http://www.trachseldentalstudio.com/products/Implant/resc/NobelProcera](http://www.trachseldentalstudio.com/products/Implant/resc/NobelProcera%20Rx%20form.pdf)
- 24 [%20Rx%20form.pdf](http://www.trachseldentalstudio.com/products/Implant/resc/NobelProcera%20Rx%20form.pdf) (KDA-003277)
- 25 • [http://www.treasuredentalstudio.com/images/stories/food/treasure%20rx-](http://www.treasuredentalstudio.com/images/stories/food/treasure%20rx-fixed%20web.pdf)
- 26 [fixed%20web.pdf](http://www.treasuredentalstudio.com/images/stories/food/treasure%20rx-fixed%20web.pdf) (KDA-003279)
- 27 • [http://www.treasuredentalstudio.com/images/stories/food/treasure%20rx-](http://www.treasuredentalstudio.com/images/stories/food/treasure%20rx-standard%20web.pdf)
- 28 [standard%20web.pdf](http://www.treasuredentalstudio.com/images/stories/food/treasure%20rx-standard%20web.pdf) (KDA-003280)

- 1 • [http://media.wix.com/ugd//609011_2f742a94347b98e22c20231579ed7e8](http://media.wix.com/ugd//609011_2f742a94347b98e22c20231579ed7e89.pdf)
2 9.pdf (KDA-003282-83)
- 3 • http://www.westerndentalarts.com/pdfs/91151_WDA-RxForm-2date.pdf
4 (KDA-003288-89)
- 5 • [http://www.wpdentallab.com/uploadedFiles/Wornson_Polzin_Dental_La](http://www.wpdentallab.com/uploadedFiles/Wornson_Polzin_Dental_Laboratory/Content/Send_A_Case/Rx(1).pdf)
6 boratory/Content/Send_A_Case/Rx(1).pdf (KDA-003290)
- 7 • [http://www.ziemekdentallab.com/wp-content/uploads/2012/07/Ziemek-](http://www.ziemekdentallab.com/wp-content/uploads/2012/07/Ziemek-Premier-Lab-Slip-Final.pdf)
8 Premier-Lab-Slip-Final.pdf (KDA-003296)
- 9 • <http://lafayettedentallab.com/rx.form.pdf> (KDA-003304)

10
11 I declare under penalty of perjury under the laws of the United States of
12 America that the foregoing is true and correct.

13 Executed December 3, 2012, in Irvine, California.

14
15 
16 Nathan B. Wenk